




pietra

STUDIO
CERAMICS


GEMS
SERIES




BORGHINI




BORGHINI



PALOMA




SILVERMINK



GRIGIO IMPERIAL

GEMS
SERIES

Matt . Polished . Lappato . Honed
9 faces . 4 designs





60x120

30x60

60x60

30x30



GRIGIO IMPERIAL

technical characteristics

	TECHNICAL FEATURES	SPECIFICATION	VALUE REQUIRED	*OUR VALUES (SETSCO)
	LENGTH AND WIDTH	ISO 10545-2	± 0.6%	0.07%
	THICKNESS	ISO 10545-2	± 5.0%	- 0.16%
	SQUARENESS	ISO 10545-2	± 0.5%	0.04%
	STRAIGHTNESS OF THE EDGES	ISO 10545-2	± 0.5%	0.01%
	FLATNESS	ISO 10545-2	± 0.5%	0.13%
	WATER ABSORPTION	ISO 10545-3	≤ 0.5%	0.32%
	BREAKING STRENGTH MODULUS OF RUPTURE	ISO 10545-4	≥ 1300 N ≥ 35 N/mm ²	1620.1 N 38.6 N/mm ²
	CHEMICAL RESISTANCE	ISO 10545-13	TEST METHOD AVAILABLE DECLARED VALUE	GA/GLA
	RESISTANCE TO STAINING	ISO 10545-14	TEST METHOD AVAILABLE DECLARED VALUE	CLASS 5
	SLIP RESISTANCE INCLINED PLATFORM	DIN 51130 DIN 51097	TEST METHOD AVAILABLE	R10 MATT R11 ANTISLIP

size, weight and packaging



SIZE	PIECES/BOX	MQ/BOX	KG/BOX	MQ/PALLET	KG/PALLET	BOX/PALLET
60x60	4	1.44	31	57.6	1265	40
30x60	8	1.44	31	57.6	1265	40
30x30	16	1.44	31	57.6	1265	40

THICKNESS



RECTIFIED



This series has been
certified as an
"ECO-FRIENDLY
BUILDING MATERIAL"
by the Singapore
Environmental Council



www.heritageceramics.com