






cosmic
gres porcellanato smaltato



UNICOMSTARKER
COLLECTION BOOK

48

COSMIC WHITE
80 × 180 32" × 72"
COSMIC BLACK
80 × 180 32" × 72"

WHITE





49
COSMIC



UNICOMSTARKER
COLLECTION BOOK

50

COSMIC BLACK
80 x 180 32" x 72"

—
COSMIC BLACK
80 x 180 32" x 72"



51

COSMIC

BLACK

COLORI & DECORI


COLOURS & DECORS - COULEUR & DECORATION - FARBE & DEKORE

UNICOMSTARKER
COLLECTION BOOK

52
TECHNICAL
INFORMATION




WHITE



WHITE MOSAICO




IVORY



IVORY MOSAICO




GREY



GREY MOSAICO



BLACK



BLACK MOSAICO

UNICOMSTARKER
COLLECTION BOOK

54

COSMIC WHITE
80 x 180 32" x 72"



TECHNICAL INFORMATION & PLUS


FORMATI SIZES FORMATE FORMATS



RETTIFICATO
SATIN | POLISHED

80 × 180
32" × 72"


77
89



RETTIFICATO
SATIN | POLISHED

60 × 120
24" × 48"

67
84



RETTIFICATO
SATIN | POLISHED

60 × 60
24" × 24"


56
71



RETTIFICATO
SATIN | POLISHED

30 × 60
12" × 24"

51
68



MOSAIC
SATIN | POLISHED

30 × 30
12" × 12"

115
140



BATTISCOPA SMALTATO
RETTIFICATO SATIN | POLISHED

7 × 60
3" × 24"

15
16

55

CARATTERISTICHE TECNICHE TECHNICAL FEATURES CARATERISTIQUES TECHNIQUES TECHNISCHE EIGENSCHAFTEN



ISO 10545-3 assorbimento d'acqua
water absorption

<0.5%



ISO 10545-2 planarità
surface flatness

±0.5%



ISO 10545-4 resistenza alla flessione
breaking strength

35 N/mm²



UNI EN 101 durezza di Mohs
hardness in Mohs degrees

6



ISO 10545-13 resistenza agli acidi
resistance to acid

GLA



spessore
thickness

10 mm



ISO 10545-12 resistenza al gelo
frost resistance

resiste
frost proof



variazioni cromatiche
color shade variations

V2 var. leggera
V2 slight var.



ISO 10545-14 resistenza alle macchie
stain resistance

4



DIN 51097 coefficiente d'attrito (scivolosità)
static coefficient of friction

A+B+C
> 0.42

IMBALLI PACKING EMBALAGES VERPACKUNG

formato size		spessore thickness	pezzi/sc pcs/box	mq/sc sqm/box	kg/sc kgs/box	sc/pl box/pal	mq/pl sqm/pal	kg/pl kgs/pal
80x180	rettificato polished satin	10	2	2.88	69.20	20	57.60	1384.00
60x120	rettificato polished satin	10	2	1.44	34.60	30	43.20	1038.00
60x60	rettificato polished satin	10	3	1.08	25.90	40	43.20	1036.00
30x60	rettificato polished satin	10	6	1.08	25.90	40	43.20	1036.00
30x30	mosaico polished satin		11	0.99	19.70	36	35.64	709.20
7x60	battiscopa polished satin		12		12.60			

il peso riportato è comprensivo del pallet di supporto - the indicated weight includes the supporting pallet - le poids indiqué est compris de la palette de support - das angegebene gewicht versteht sich einschließlich der palette